

EJ TFR 330

Page: 1 Compilation date: 03/05/2016

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EJ TFR 330

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

| Company name: | Electrajet Limited |
|---------------|---------------------------------------|
| | Unit J3, Glasgow North Trading Estate |
| | 24 Craigmont Street |
| | Glasgow |
| | G20 9BT |
| | United Kingdom |
| Tel: | 0845 8500 666 |
| Fax: | 0141 946 0441 |
| Email: | <u>sales@electrajet.co.uk</u> |
| | |

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements:H314: Causes severe skin burns and eye damage.Signal words:DangerHazard pictograms:GHS05: Corrosion



Precautionary statements:P260: Do not breathe dust/fumes/gas/mist/vapours/spray.P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

EJ TFR 330

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM ALKYL ETHER SULPHATE - REACH registered number(s): 01-2119488639-16-0020

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|------------|----------------|-------------------|---|---------|
| 500-234-8 | 68891-38-3 | - | Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412 | 1-10% |
| ALCOHOL ET | THOXYLATE C9-1 | 1 WITH 6.5 MOL EO | | |
| - | 68439-46-3 | - | Acute Tox. 4: H302; Eye Dam. 1: H318 | 1-10% |
| SODIUM HYE | DROXIDE | | | |
| 215-185-5 | 1310-73-2 | - | Skin Corr. 1A: H314 | 1-10% |

ALCOHOL ETHOXYLATE C9-11

- 68438-45-2 - Acute Tox. 4: H302; Eye Dam. 1: H318 1-10%

Section 4: First aid measures

| 4.1. Description of first aid meas | ures |
|------------------------------------|--|
| Skin contact: | Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear |
| | immediately unless stuck to skin. |
| Eye contact: | Bathe the eye with running water for 15 minutes. Consult a doctor. |
| Ingestion: | Do not induce vomiting. Wash out mouth with water. |
| Inhalation: | Not applicable. |
| 4.2. Most important symptoms a | nd effects, both acute and delayed |
| Skin contact: | Irritation or pain may occur at the site of contact. |
| Eye contact: | There may be irritation and pain. |
| Ingestion: | Nausea and stomach pain may occur. There may be vomiting. |
| Inhalation: | No symptoms. |
| Delayed / immediate effects: | No data available. |
| 4.3. Indication of any immediate | medical attention and special treatment needed |
| Section 5: Fire-fighting measure | S |
| 5.1. Extinguishing media | |

Extinguishing media: Water. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Water fog.

EJ TFR 330

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition.

Suitable packaging: Do not use aluminium containers.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | - | 2 mg/m3 | - | - |

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (alkali-resistant).

EJ TFR 330

Eye protection: Safety glasses.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| State: | Liquid | | |
|-------------------------------|---------------------------------|------|--------------------|
| Colour: | Colourless | | |
| Odour: | Characteristic odour | | |
| Evaporation rate: | No data available. | | |
| Oxidising: | Not applicable. | | |
| Solubility in water: | Highly soluble | | |
| Viscosity: | Non-viscous | | |
| Boiling point/range°C: | >100 Melting point/range | e°C: | No data available. |
| Flammability limits %: lower: | No data available. up | per: | No data available. |
| Flash point°C: | >93 Part.coeff. n-octanol/wa | ter: | No data available. |
| Autoflammability°C: | No data available. Vapour press | ure: | Not applicable. |
| Relative density: | 1.08 +/- | pH: | 13.5 |
| VOC g/l: | Not applicable. | | |

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Flames.

10.5. Incompatible materials

Materials to avoid: Acids. Alkali earth metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides.

Section 11: Toxicological information

Page: 4

EJ TFR 330

Page: 5

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM ALKYL ETHER SULPHATE

| DERMAL | RAT | LD50 | >2000 | mg/kg |
|--------|-----|------|-------|-------|
| ORAL | RAT | LD50 | >2000 | mg/kg |

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

| DERMAL | RAT | LD50 | >2000 | mg/kg |
|--------|-----|------|-----------|-------|
| ORAL | RAT | LD50 | >300<2000 | mg/kg |

SODIUM HYDROXIDE

| IPR | MUS | LD50 | 40 | mg/kg |
|-----|-----|------|-----|-------|
| ORL | RBT | LDLO | 500 | mg/kg |

ALCOHOL ETHOXYLATE C9-11

| ORAL RAT LD50 | >300<2000 | mg/kg |
|---------------|-----------|-------|
|---------------|-----------|-------|

Relevant hazards for substance:

| Hazard | Route | Basis |
|-------------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM | Hazardous: calculated |
| Serious eye damage/irritation | OPT | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM ALKYL ETHER SULPHATE

| ALGAE | 48H EC50 | 27,7 | mg/l |
|---------|----------|------|------|
| DAPHNIA | 48H EC50 | 7,4 | mg/l |
| FISH | 96H LC50 | 7,1 | mg/l |

EJ TFR 330

| ALCOHOL ETHOXYLATE | | 1 | | |
|---|--------------------------------|-------------------------|-------------------------------|----------------------|
| FISH | | 96H LC50 | 1-10 | mg/l |
| ALCOHOL ETHOXYLATE | C9-11 | | | |
| FISH | | 96H LC50 | 1-10 | mg/l |
| 12.2. Persistence and degradabili | ity | | | |
| Persistence and degradability: | Readily biodegradable. | | | |
| 12.3. Bioaccumulative potential | | | | |
| Bioaccumulative potential: | No data available. | | | |
| 12.4. Mobility in soil | | | | |
| Mobility: | No data available. | | | |
| 12.5. Results of PBT and vPvB as | ssessment | | | |
| PBT identification: | This product is not identified | as a PBT/vPvB subs | stance. | |
| 12.6. Other adverse effects | | | | |
| ction 13: Disposal consideration | ons | | | |
| 13.1. Waste treatment methods | | | | |
| NB: | The user's attention is drawn | to the possible exister | nce of regional or national r | egulations regarding |
| | disposal. | | | |
| ction 14: Transport informatio | n | | | |
| 14.1. UN number | | | | |
| UN number: | UN1760 | | | |
| | | | | |
| 14.2. UN proper shipping name | | | | |
| | CORROSIVE LIQUID, N.O | v.S. | | |
| Shipping name: | CORROSIVE LIQUID, N.C |).S. | | |
| Shipping name: | |).S. | | |
| Shipping name: 14.3. Transport hazard class(es) Transport class: | |).S. | | |
| Shipping name: 14.3. Transport hazard class(es) Transport class: | 8 |).S. | | |
| Shipping name: 14.3. Transport hazard class(es) Transport class: 14.4. Packing group Packing group: | 8 |).S. | | |
| 14.3. Transport hazard class(es) Transport class: 14.4. Packing group | 8 II |).S. | Marine pollutant | : No |

EJ TFR 330

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.